

Program INDUSTRIAL NOISE dla Windows

Projekt:

C:\IND-NOISE\CNOSSOS\DOC\LUW-dzień.dat

Dane do obliczeń :

Współczynnik gruntu (całego obszaru analizy)-global G = 0,000

Temperatura otoczenia 10[°C]

Źródła punktowe

Nr	X[m]	Y[m]	z[m]	Pma	P_63	P_125	P_250	P_500	P1000	P2000	P4000	P8000	Symbol
=====													
1	166.0	118.6	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S00
2	150.3	113.2	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S00
3	161.1	117.0	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S00
4	155.7	115.2	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S00
5	161.8	105.7	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S00
6	166.8	107.6	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S00
7	171.7	109.4	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S00
8	176.4	110.8	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S00
9	163.5	100.0	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S00
10	168.5	101.8	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S00
11	173.7	103.4	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S00
12	178.4	105.4	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S00
13	167.3	89.4	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S00
14	172.7	91.6	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S00
15	178.0	93.1	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S00
16	183.2	95.3	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S00
17	188.2	97.0	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S00
18	166.0	118.6	3.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S01
19	166.0	118.6	6.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S02
20	166.0	118.6	9.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S03
21	166.0	118.6	12.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S04
22	166.0	118.6	15.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S05
23	166.0	118.6	18.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S06
24	150.3	113.2	3.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S01
25	150.3	113.2	6.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S02
26	150.3	113.2	9.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S03
27	150.3	113.2	12.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S04
28	150.3	113.2	15.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S05
29	150.3	113.2	18.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S06
30	161.1	117.0	3.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S01
31	161.1	117.0	6.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S02
32	161.1	117.0	9.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S03
33	161.1	117.0	12.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S04
34	161.1	117.0	15.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S05
35	161.1	117.0	18.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S06
36	155.7	115.2	3.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S01
37	155.7	115.2	6.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S02
38	155.7	115.2	9.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S03
39	155.7	115.2	12.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S04
40	155.7	115.2	15.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S05
41	155.7	115.2	18.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S06

42	161.8	105.7	3.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S01
43	161.8	105.7	6.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S02
44	161.8	105.7	9.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S03
45	161.8	105.7	12.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S04
46	161.8	105.7	15.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S05
47	161.8	105.7	18.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S06
48	166.8	107.6	3.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S01
49	166.8	107.6	6.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S02
50	166.8	107.6	9.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S03
51	166.8	107.6	12.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S04
52	166.8	107.6	15.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S05
53	166.8	107.6	18.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S06
54	171.7	109.4	3.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S01
55	171.7	109.4	6.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S02
56	171.7	109.4	9.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S03
57	171.7	109.4	12.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S04
58	171.7	109.4	15.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S05
59	171.7	109.4	18.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S06
60	176.4	110.8	3.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S01
61	176.4	110.8	6.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S02
62	176.4	110.8	9.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S03
63	176.4	110.8	12.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S04
64	176.4	110.8	15.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S05
65	176.4	110.8	18.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S06
66	163.5	100.0	3.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S01
67	163.5	100.0	6.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S02
68	163.5	100.0	9.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S03
69	163.5	100.0	12.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S04
70	163.5	100.0	15.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S05
71	163.5	100.0	18.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S06
72	168.5	101.8	3.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S01
73	168.5	101.8	6.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S02
74	168.5	101.8	9.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S03
75	168.5	101.8	12.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S04
76	168.5	101.8	15.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S05
77	168.5	101.8	18.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S06
78	173.7	103.4	3.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S01
79	173.7	103.4	6.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S02
80	173.7	103.4	9.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S03
81	173.7	103.4	12.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S04
82	173.7	103.4	15.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S05
83	173.7	103.4	18.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S06
84	178.4	105.4	3.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S01
85	178.4	105.4	6.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S02
86	178.4	105.4	9.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S03
87	178.4	105.4	12.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S04
88	178.4	105.4	15.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S05
89	178.4	105.4	18.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S06
90	167.3	89.4	3.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S01
91	167.3	89.4	6.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S02
92	167.3	89.4	9.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S03
93	167.3	89.4	12.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S04
94	167.3	89.4	15.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S05
95	167.3	89.4	18.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S06
96	172.7	91.6	3.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S01
97	172.7	91.6	6.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S02

98	172.7	91.6	9.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S03
99	172.7	91.6	12.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S04
100	172.7	91.6	15.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S05
101	172.7	91.6	18.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S06
102	178.0	93.1	3.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S01
103	178.0	93.1	6.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S02
104	178.0	93.1	9.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S03
105	178.0	93.1	12.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S04
106	178.0	93.1	15.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S05
107	178.0	93.1	18.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S06
108	183.2	95.3	3.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S01
109	183.2	95.3	6.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S02
110	183.2	95.3	9.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S03
111	183.2	95.3	12.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S04
112	183.2	95.3	15.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S05
113	183.2	95.3	18.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S06
114	188.2	97.0	3.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S01
115	188.2	97.0	6.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S02
116	188.2	97.0	9.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S03
117	188.2	97.0	12.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S04
118	188.2	97.0	15.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S05
119	188.2	97.0	18.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S06
120	121.7	128.5	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
121	149.4	139.0	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
122	136.4	134.2	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
123	126.5	130.7	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
124	132.2	133.0	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
125	141.7	135.8	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
126	146.8	137.9	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
127	108.9	135.4	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
128	116.1	137.9	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
129	123.4	140.3	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
130	129.0	142.6	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
131	134.3	144.8	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
132	139.3	146.7	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
133	144.1	148.2	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
134	148.7	149.9	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
135	153.4	151.5	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
136	156.7	152.8	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
137	158.0	51.8	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
138	156.9	55.3	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
139	155.7	58.8	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
140	154.0	63.2	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
141	152.1	68.7	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
142	150.1	73.5	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
143	148.4	78.9	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
144	146.6	84.3	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
145	145.3	88.5	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
146	143.7	92.8	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
147	142.0	96.9	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
148	140.6	100.6	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
149	138.4	106.0	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
150	137.1	110.0	0.5	66.6	43,0	52,0	54,0	58,0	62,0	62,0	54,0	45,0	S0
151	171.5	34.5	1.0	88.3	68,2	75,2	77,2	80,2	83,2	83,2	77,2	70,2	R-1
152	165.2	50.8	1.0	88.3	68,2	75,2	77,2	80,2	83,2	83,2	77,2	70,2	R-1
153	158.9	67.1	1.0	88.3	68,2	75,2	77,2	80,2	83,2	83,2	77,2	70,2	R-1

154	152.7	83.3	1.0	88.3	68,2	75,2	77,2	80,2	83,2	83,2	77,2	70,2	R-1
155	146.4	99.6	1.0	88.3	68,2	75,2	77,2	80,2	83,2	83,2	77,2	70,2	R-1
156	140.1	115.9	1.0	88.3	68,2	75,2	77,2	80,2	83,2	83,2	77,2	70,2	R-1
157	125.2	119.8	1.0	71.6	51,5	58,5	60,5	63,5	66,5	66,5	60,5	53,5	R-2
158	139.1	124.7	1.0	71.6	51,5	58,5	60,5	63,5	66,5	66,5	60,5	53,5	R-2
159	153.0	129.6	1.0	71.6	51,5	58,5	60,5	63,5	66,5	66,5	60,5	53,5	R-2
160	119.7	133.3	1.0	71.6	49,8	56,8	58,8	61,8	64,8	64,8	58,8	51,8	R-3
161	130.6	137.5	1.0	71.6	49,8	56,8	58,8	61,8	64,8	64,8	58,8	51,8	R-3
162	141.6	141.7	1.0	71.6	49,8	56,8	58,8	61,8	64,8	64,8	58,8	51,8	R-3
163	152.5	145.9	1.0	71.6	49,8	56,8	58,8	61,8	64,8	64,8	58,8	51,8	R-3
164	157.3	92.0	1.0	77.4	57,3	64,3	66,3	69,3	72,3	72,3	66,3	59,3	R-4
165	165.3	94.9	1.0	77.4	57,3	64,3	66,3	69,3	72,3	72,3	66,3	59,3	R-4
166	173.2	97.7	1.0	77.4	57,3	64,3	66,3	69,3	72,3	72,3	66,3	59,3	R-4
167	181.1	100.6	1.0	77.4	57,3	64,3	66,3	69,3	72,3	72,3	66,3	59,3	R-4
168	155.9	108.6	1.0	77.4	57,3	64,3	66,3	69,3	72,3	72,3	66,3	59,3	R-5
169	162.5	111.0	1.0	77.4	57,3	64,3	66,3	69,3	72,3	72,3	66,3	59,3	R-5
170	169.1	113.4	1.0	77.4	57,3	64,3	66,3	69,3	72,3	72,3	66,3	59,3	R-5
171	175.7	115.8	1.0	77.4	57,3	64,3	66,3	69,3	72,3	72,3	66,3	59,3	R-5

Ekranry akustyczne :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	170.4	61.4	198.6	71.4	207.2	48.0	179.0	37.6	0.0	50.0
2	222.2	86.8	196.0	77.4	193.0	86.4	219.0	95.4	0.0	8.0
3	192.8	87.0	198.8	71.2	189.2	68.6	184.0	84.0	0.0	8.0
4	229.0	142.2	205.2	134.0	223.6	83.0	242.2	90.0	0.0	16.0
5	150.2	18.0	118.2	106.8	131.4	111.2	163.4	22.6	0.0	15.0
6	219.6	159.4	171.6	142.2	166.2	157.2	214.6	174.0	0.0	12.0

WSPÓŁCZYNNIKI ODBICIA DLA ŚCIAN

Nr	ściana 1	ściana 2	ściana 3	ściana 4	dach
1	1.0000	1.0000	1.0000	1.0000	1.0000
2	1.0000	1.0000	1.0000	1.0000	1.0000
3	1.0000	1.0000	1.0000	1.0000	1.0000
4	1.0000	1.0000	1.0000	1.0000	1.0000
5	1.0000	1.0000	1.0000	1.0000	1.0000
6	1.0000	1.0000	1.0000	1.0000	1.0000